

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-29. (Canceled)

30. (Currently amended) A system, comprising:

a first server to:

generate a custom news document, where the custom news document includes a plurality of custom news sections<sub>1</sub>[[;]]

assign one or more of a keyword or phrase, a topical category, or a geographic category to each one of the plurality of custom news sections<sub>1</sub>[[;]]

embed search queries into the custom news document, where each of the embedded search queries includes a respective one of the assigned one or more keywords or phrases, one or more topical categories, or one or more geographic categories associated with a respective one of the plurality of custom news sections,

receive, from a client device, a request to access the custom news document content, and

send the embedded search queries across a network to a second server, in response to receiving the request; and

the second server to:

receive the embedded search queries,

crawl a corpus of news documents hosted at a plurality of remote servers to obtain news content,

search the obtained news content based on the received embedded search queries to obtain search results, and

provide news content to the first server based on the search results;

where the first server is further to:

populate the plurality of custom news sections with the received news content, [[:]] and

permit a plurality of users to access, from across the network, the custom news document that includes the received news content, where the first server, the second server, and the plurality of remote servers comprise different network devices that connect to the network.

31-32. (Canceled)

33. (Currently Amended) A method ~~performed by one or more server devices, the method~~ comprising:

generating, by one or more processors ~~at least one of the one or more server devices~~, a custom news document, where the custom news document includes a plurality of custom news sections;

assigning, by one or more processors ~~at least one of the one or more server devices~~, one or more of a keyword or phrase, a topical category, or a geographic category to the custom news sections;

embedding, by one or more processors ~~at least one of the one or more server devices~~, search queries in particular locations of the custom news document, where each of the search queries ~~include~~ includes a respective one of the assigned one or more keywords or phrases, one or more topical categories, or one or more geographic categories, associated with a respective one of the custom news sections;

receiving, by one or more processors ~~at least one of the one or more server devices~~, a request to access the custom news document from a user via a client device;

retrieving, by one or more processors ~~at least one of the one or more server devices~~, one of the embedded search queries in response to receiving the selection of the custom news document;

sending, by one or more processors ~~at least one of the one or more server devices~~, query data comprising the one of the embedded search queries to a news search server that has crawled a corpus of news documents hosted on other servers and stored information associated with the crawled documents in a repository of crawled documents, where news content is obtained by the news search server from a search of the repository of crawled documents based on the one of the embedded search queries;

receiving by one or more processors ~~at least one of the one or more server devices~~, the news content from the news search server; and

populating, by one or more processors ~~at least one of the one or more server devices~~, at least some of the plurality of custom news sections with the received news content.

34. (Canceled)

35. (Previously presented) The method of claim 33, where the embedded search queries are in the form of an applet or a hyper text markup language (HTML) iframe.

36. (Currently amended) One or more physical memory devices storing instructions executable by one or more processors, the ~~one or more physical memory devices~~ instructions comprising:

one or more instructions to generate a custom news document, where the custom news document includes a plurality of custom news sections;

one or more instructions to assign one or more keywords or phrases, one or more topical categories, or one or more geographic categories to each one of the plurality of custom news sections;

one or more instructions to embed search queries within the custom news document, where the embedded search queries comprise applets or iframes that include one or more instructions to submit respective ones of the one or more keywords or phrases, one or more topical categories, or one or more geographic categories to a news search server;

one or more instructions to receive, across a network connection, a selection of the custom news document from a user at a client device;

one or more instructions to execute the one or more instructions associated with the applets or iframes, in response to receiving the selection of the custom news document;

one or more instructions to receive news content from the news search server that is related to the one or more keywords, one or more topical categories, or one or more geographic categories;

one or more instructions to sort the received news content based on at least one of a news source, author, or news category; and

one or more instructions to populate the custom news document with the sorted news content for access by the user.

37-43. (Canceled)

44. (Currently amended) The one or more physical memory devices of claim 36, where the received news content is selected from a particular group of news content based on ~~the~~ at least one of the embedded search queries.

45. (Previously presented) The one or more physical memory devices of claim 36, where the received news content comprises a ranked list of news content.

46-48. (Canceled)

49. (Previously presented) A system comprising:

a server device to:

generate a custom news document, where the custom news document includes a plurality of custom news sections;

assign one or more of a keyword or phrase, a topical category, or a geographic category to each of the plurality of custom news sections;

embed search queries into the custom news document, where the embedded search queries include an applet or an iframe that includes one or more instructions to submit the assigned one or more of a keyword or phrase, topical category, or geographic category to a news server in response to receiving a request to access the custom news document;

receive, from a client device, the request to access the custom news document;

send the embedded search queries across a network to the news server, in response to receiving the request, where the news server obtains news content based on the embedded search queries;

receive the obtained news content from the news server in response to sending the embedded search queries; and

populate the plurality of custom news sections with the received news content.

50-51. (Canceled)

52. (Previously presented) The system of claim 49, where the plurality of custom news sections includes one or more of:

a title section;

a news section;

a local news section;

a related stories section;

a photo section; or

a blog section.

53. (Currently amended) The system of claim 49, where the server device is further to:

customize the custom news document using input received from a user,  
where, when ~~the server device is to customize~~ customizing the news document using input received ~~[[form]]~~ from the user, the server device is to:

- add a new news section;
- move a news section to a different location in the custom news document;
- delete a news section;
- change a rank property associated with a news section; or
- change a display property associated with a news section.

54. (New) The system of claim 30, where the embedded search queries are in the form of an applet or a hyper text markup language (HTML) iframe.

55. (New) The system of claim 30, where the second server, when searching the obtained news content based on the received embedded search queries, is further to:

- retrieve, based on the embedded search queries, text from the obtained news content,
- generate, based on the retrieved text, updated search queries, and
- use the updated search queries to search the obtained news content.

56. (New) The system of claim 30, where the plurality of custom news sections includes one or more of:

- a title section;
- a news section;
- a local news section;
- a related stories section;
- a photo section; or
- a blog section.

57. (New) The system of claim 30, where the first server, when populating the plurality of custom news sections, is further to:

- receive an input from the client device; and
- customize the custom news document, based the input, where the first server, when customizing the plurality of custom news sections, is further to, at least one of,:

- add a new news section to the custom news document;
  - move a news section to a different location in the custom news document;
  - delete a news section in the custom news document;
  - change a rank property associated with a news section within the custom news document; or
  - change a display property associated with a news section within the custom news document.

58. (new) The system of claim 30, where the first device is further to:

- update the populated plurality of custom news sections, where the first server, when updating the populated plurality of custom news sections, is further to:



resend, after a particular time period, the embedded search queries to the second server, where the second server obtains updated news content based on the resent embedded search queries,

receive the updated news content from the second server, and

repopulate the plurality of custom news sections with the updated news content.

59. (new) The system of claim 30, where the received news content comprises a ranked list of news content.

60. (New) The method of claim 33, where the plurality of custom news sections includes one or more of:

a title section;

a news section;

a local news section;

a related stories section;

a photo section; or

a blog section.

61. (new) The method of claim 33, where generating the custom news document includes:

receiving an input from the client device; and

customizing the custom news document based the input, where customizing the news document includes at least one of:

adding a new news section;  
moving a news section to a different location in the custom news document;  
deleting a news section;  
changing a rank property associated with a news section; or  
changing a display property associated with a news section.

62. (new) The method of claim 33, where the received news content comprises a ranked list of news content.

63. (new) The method of claim 33, further comprising:  
updating the populated custom news sections, where updating the populated custom news sections includes:

resending, after a particular time period, the embedded search queries to the news search server, where the news search server obtains updated news content based on the resent embedded search queries,  
receiving the updated news content from the news search server, and  
repopulating the plurality of custom news sections based on the received updated news content.

64. (new) The method of claim 33, further comprising:  
calculating a compensation to provide to an entity associated with the news search server for providing the news content.

65. (new) The one or more physical memory devices of claim 36, where the plurality of custom news sections includes one or more of:

- a title section;
- a news section;
- a local news section;
- a related stories section;
- a photo section; or
- a blog section.

66. (new) The one or more physical memory devices of claim 36, where the one or more instructions to generate the custom news document includes:

- one or more instructions to receive an input from the client device; and
- one or more instructions to customize the custom news document based the input, where the one or more instructions to customize the news document includes at least one of:
  - one or more instructions to add a new news section,
  - one or more instructions to move a news section, of the custom news document, to a different location in the custom news document,
  - one or more instructions to delete the news section,
  - one or more instructions to change a rank property associated with the news section, or
  - one or more instructions to change a display property associated with the news section.

67. (new) The one or more physical memory devices of claim 36, where the instructions further comprise:

- one or more instructions to update the populated plurality of custom news sections, where
- one or more instructions to update the populated plurality of custom news sections include:
  - one or more instructions to resend the embedded search queries to the news search server, where the news search server obtains updated news content based on the resent embedded search queries,
  - one or more instructions to receive the updated news content from the news search server,
  - one or more instructions to sort the received updated news content, and
  - one or more instructions to repopulate the plurality of custom news sections with the sorted updated news content.

68. (new) The one or more physical memory devices of claim 36, where the instructions further comprise:

- one or more instructions calculate a compensation to provide to an entity associated with the news search server for providing the news content.

69. (new) The system of claim 49, where the server device is further to update the populated plurality of custom news sections, where the server device, when update the populated plurality of custom news sections, is further to:

resend, after a particular time period, the embedded search queries to the news server, where the news server obtains updated news content based on the embedded search queries,

receive the updated news content from the news server, and

populate the plurality of custom news sections with the updated news content.

70. (new) The system of claim 49, where the server device is further to:  
calculate a compensation to provide to an entity associated with the news server for providing the obtained news content.

71. (new) The system of claim 49, where the server device is further to:  
provide, to the client device, access to a news document that includes news content that is not received from the news server.

72. (new) The system of claim 71, where the request to access the custom news document is sent, from the client device, in response to the client device accessing the news document.